

**TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION  
DIVISION OF GROUND WATER PROTECTION  
PERMIT FOR CONSTRUCTION OF SUBSURFACE SEWAGE DISPOSAL SYSTEM**

Issued to: <u>JAMES LOVE</u> Owner, Developer, Contractor, Installer, Etc. Location: <u>338 HWY 307</u> <u>ATHENS</u> Installation: <input type="checkbox"/> 1. New Installation <input checked="" type="checkbox"/> 2. Repair to Existing System Establishment: <input checked="" type="checkbox"/> 1. Residential: # Bedrooms <u>3 BR HOUSE</u> <input type="checkbox"/> 2. Other: _____ (specify) Gal/Day _____	Evaluation Based Upon: <input type="checkbox"/> 1. Soil typing by Soil Scientist <input type="checkbox"/> a. General <input type="checkbox"/> b. High Intensity <input type="checkbox"/> c. Extra High Intensity <input type="checkbox"/> 2. Soil Percolation Test <input checked="" type="checkbox"/> 3. Environmental Specialist Estimated Absorption Rate: <u>4.5 MPI</u>	Type of System: <input checked="" type="checkbox"/> 1. Conventional <input type="checkbox"/> 2. Low Pressure Pipe <input type="checkbox"/> 3. Mound <input type="checkbox"/> 4. Lagoon <input type="checkbox"/> 5. Large Diameter Gravelless Pipe <input type="checkbox"/> a. Sand backfill required <input type="checkbox"/> 6. Other
Approval based upon: Statute No. <u>T.C.A. 68-221-403</u> <input type="checkbox"/> (c) Percolation test <input type="checkbox"/> (d) Grandfather clause. Current standards except those specified <input type="checkbox"/> (f) 12" (karst) and 6" (non-karst) buffer required <input type="checkbox"/> (i) 9" buffer required (24"-36" total soil depth) <input type="checkbox"/> (k) Grandfather clause — meets June 30, 1990 standards (repair only) <input type="checkbox"/> Other _____		

- Also required:
- 1. Soil Improvement Practice (SIP)
  - 2. Flow Diversion Valve
  - 3. Sewage Pump
  - 4. Other: \_\_\_\_\_


This system shall consist of a two compartment septic tank holding 1200 gallons, with 300 linear feet in 3 trenches, 36" inches wide and 24 to 36" inches deep. (Depth of gravel: 12" inches)

All installers of subsurface sewage disposal systems must hold a valid annual license from the Tennessee Department of Environment and Conservation.

The recipient of this permit agrees to construct or have constructed the above described system in accordance with T.C.A. 68-221-401 et. seq. and The Regulations To Govern Subsurface Sewage Disposal Systems. If any part of the system is covered before being inspected and approved, it shall be uncovered by the recipient of the permit at the direction of personnel of the Department of Environment and Conservation. Any cutting, filling or alterations of the soil conditions on the aforementioned property after this day may render this approval null and void.

James A Love \_\_\_\_\_ Date \_\_\_\_\_  
 (Signature of Recipient)  
 Issued at \_\_\_\_\_ Tennessee, in \_\_\_\_\_ County  
 By Moyn \_\_\_\_\_ Date 6-3-96  
 (Name and Title) (Date of Issue)

This permit is valid for 3 years from date of issue.



This is a permit to construct and is not intended to imply approval of any work proposed or completed on this lot.